

ステンレス板SUS304 (No.1) 切断板

(単位m/m)

(切断売り)

JIS 規格名及記号 G4304 SUS304-HP
 配 合 (%) Ni8.0~10.5 Cr18.5~20.0
 C 0.08以下 Si1.0以下 Mn2.0以下
 P0.045以下 S0.03以下
 仕 上 げ No.1
 比 重 7.93

板 厚 公 差	2.5 以上3.15未満	±0.35
	3.15 " 4.0 "	±0.40
	4.0 " 5.0 "	±0.45
	5.0 " 6.0 "	±0.50
	6.0 " 8.0 "	±0.60
	8.0 " 10.0 "	±0.65
	10.0 " 16.0 "	±0.70
	16.0 " 25.0 "	±0.80
	25.0 " 40.0 "	±0.80
	40.0 " 63.0 "	±1.20

厚 さ mm	元 板		1 枚 重 量 kg	備 考
	幅 mm	長さ mm		
3.0	1,525	3,050	110.70	
3.5	"	"	129.09	
4.0	"	"	147.50	
5.0	"	"	184.40	
6.0	"	"	221.30	
7.0	"	"	258.19	
8.0	"	"	295.10	
9.0	"	"	332.00	
10.0	"	"	368.80	
12.0	"	"	442.60	
14.0	"	"	516.40	
15.0	"	"	553.30	
16.0	"	"	590.20	
18.0	"	"	663.92	
19.0	"	"	700.80	
20.0	"	"	737.70	
22.0	"	"	811.50	
25.0	"	"	922.10	
28.0	"	"	1,032.80	
30.0	"	"	1,106.50	
32.0	"	"	1,180.30	
35.0	"	"	1,291.00	
38.0	"	"	1,401.61	
40.0	"	"	1,475.40	
42.0	"	"	1,549.15	
45.0	"	"	1,659.80	

特 長

- 1) ヒズミが出にくい。
- 2) 外観が美しい。
- 3) 切断面がきれい。
- 4) テーパーが少ない。
- 5) ドロスが付かない。

一口メモ No.1 とは、熱間圧延後、熱処理、酸洗を行ったものです。

ステンレス板SUS304 (No.1) 切断板
(切 断 売 り)

厚 さ mm	元 板		1 枚 重 量 kg	備 考
	幅 mm	長さ mm		
50.0	1,525	3,050	1,844.20	
55.0	"	"	2,028.64	
60.0	"	"	2,213.06	
65.0	"	"	2,397.49	
70.0	"	"	2,581.91	
75.0	"	"	2,766.33	
80.0	"	"	2,950.75	
85.0	"	"	3,135.18	
90.0	"	"	3,319.60	
95.0	"	"	3,504.02	
100.0	"	"	3,688.44	
110.0	"	"	4,057.29	
120.0	"	"	4,426.13	
130.0	"	"	4,794.97	
140.0	"	"	5,163.82	
150.0	"	"	5,532.66	
180.0	"	"	6,639.19	
200.0	"	"	7,376.88	